

# BRIANNA



## General production advice ware potatoes

- Early maturity and tuberisation
- High yield
- Good Common and Powdery scab resistance
- High resistance to Yn-virus



### Morphology

Cooking type	AB - Slightly firm
Maturity	69 Medium early
Tuber shape	Oval
Number of tubers	9-11
Flesh after cooking	Yellow
Skin colour	Yellow

### Tolerances

Dormancy period	55 Moderate short
Metribuzin sensitivity	55 Sensitive
Foliage development	73 Strong
Internal bruising	8 Not sensitive
Little Potato disorder	72 Little sensitive
Dry matter content	17,1
UWW	306

### Resistances

Spraing	Highly resistant
Foliage Blight	Slightly susceptible
Tuber Blight	Resistant
Common scab	Slightly susceptible
Powdery scab	Resistant
PVYn	Resistant

#### PCN Resistance

Ro1	Ro2/3	Pa2	Pa3	
9		2	2	+ No official analysis / Stet own analysis

#### Wart disease

F1	F2	F6	F18
10	+5	+1	+1

### Fertilizer

- Adapt fertilisation to soil analysis.
- Nitrogen (N): approx. 220 kg N/ha inclusive of soil supply.
- Apply 2/3 before planting and 1/3 as top dressing.
- Potassium and phosphate fertilisation as standard advice.

# BRIANNA



## General production advice ware potatoes

### Pre-treatment and planting

- BRIANNA has a medium dormancy.
- BRIANNA can be grown on all soil types.

### Plant populations

Seed size	Plant population/ha	Row distance	
		75 cm	90 cm
-28/35	60.000	22	19
-35/50	42.000	32	26
-35/55	38.000	35	29

-Plant depth: Normal.

### Growing attentionpoints

- Emergence is uniform, with a good foliage development.
- The tuberisation is early.
- Variety is quite sensitive to metribuzin (Sencor), only use it pre-emergence.

### Haulmkillling and harvest

- An unset skin will have a negative effect on storability.
- Make sure the crop is matured at haulm killing.
- BRIANNA has a thin skin, pay extra attention to skin set.
- The skin should be fully set before harvest.

### Storage

- BRIANNA is well storable, also for longer period.
- Take care of the wound healing period
- Dry quick and keep it dry to avoid Silver scurf
- Pay attention for wound healing, even after sorting